


3010

Mat = C45
Max T/m = 100
α = 90°


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3011

Mat = C45
Max T/m = 100
α = 90°

835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3012


Mat = C45
Max T/m = 100
α = 90°

835 mm	15,0 kg
415 mm	7,0 kg
805 mm FRAZ. / SECT.	15,0 kg



MATRICI T H80 - 90° / T DIES H80 - 90°


AMADA
PROMECAM STYLE



3013

Mat = C45
Max T/m = 100
 $\alpha = 90^\circ$


835 mm	15,0 kg
415 mm	7,0 kg
805 mm FRAZ. / SECT.	15,0 kg



3014

Mat = C45
Max T/m = 100
 $\alpha = 90^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3050

Mat = C45
Max T/m = 100
 $\alpha = 90^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	17,0 kg



3051

Mat = C45
Max T/m = 100
 $\alpha = 90^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	17,0 kg



3052

Mat = C45
Max T/m = 100
 $\alpha = 90^\circ$

835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg




3053

Mat = C45
Max T/m = 100
 $\alpha = 90^\circ$

835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg





3054

Mat = C45

Max T/m = 100

$\alpha = 90^\circ$

835 mm	22,0 kg
415 mm	11,0 kg
805 mm FRAZ. / SECT.	22,0 kg

