


1193

Mat = C45  
H = 104.00  
Max T/m = 100  
 $\alpha = 30^\circ$   
R = 0.6


835 mm	16,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	16,0 kg



1289

Mat = C45  
H = 104.00  
Max T/m = 100  
 $\alpha = 30^\circ$   
R = 3


835 mm	16,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	16,0 kg



1194

Mat = C45  
H = 104.00  
Max T/m = 100  
 $\alpha = 30^\circ$   
R = 5

835 mm	16,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	16,0 kg




1056

Mat = C45  
H = 80.00  
Max T/m = 100  
 $\alpha = 30^\circ$   
R = 0.5

835 mm	10,0 kg
415 mm	5,0 kg
805 mm FRAZ. / SECT.	10,0 kg






### 1057

Mat = C45  
 H = 80.00  
 Max T/m = 100  
 $\alpha = 30^\circ$   
 R = 3


835 mm	10,0 kg
415 mm	5,0 kg
805 mm FRAZ. / SECT.	10,0 kg



### 1052

Mat = C45  
 H = 135.00  
 Max T/m = 50  
 $\alpha = 30^\circ$   
 R = 0.5

835 mm	19,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	19,0 kg



### 1055

Mat = C45  
 H = 105.00  
 Max T/m = 50  
 $\alpha = 30^\circ$   
 R = 0.5

835 mm	15,0 kg
415 mm	7,0 kg
805 mm FRAZ. / SECT.	15,0 kg

